

ADVANCE TECH PEST CONTROL



A+ RATED

JULY/AUGUST 2017
Vol 29 • No 4

88-07 69th Ave., Forest Hills, NY 11375
718-805-0600 • FAX 718-805-8646

AdvanceTechPestControl.com

Family Owned & Operated Since 1980

The Pest Bulletin

Pests Love Our Blood!



We like to think our blood is used only by ourselves, and maybe a local blood bank we donate to. But the fact is, a lot of pests use our blood as food and suck it out of us without us even knowing we are sharing. They do this with surgeon-like precision, slicing through our skin with their razor-sharp mouthparts. While they are doing this they inject an anesthetic into the cut that numbs the area so we don't even feel it. This is good stuff for horror movies!

We like to think our blood is used only by ourselves, and maybe a local blood bank we donate to.

You might never know that a pest took some of your blood, except that the pest saliva and other compounds they inject into you often causes those familiar welts that itch. And because these pests tap directly into our blood stream, they can also put dangerous disease-causing pathogens directly inside our bodies.

So who are these culprits? One that we are hearing about recently is **bedbugs**, which are spreading. Knowing that these bugs feed on people while we are sleeping is enough to give us the creeps!

There are a wide variety of other

pests that suck blood, and they are so good at it that they can do it in broad daylight when we are wide awake, and we still don't know they are taking it! These include **mosquitoes, fleas, ticks, biting midges, blood-sucking flies, chiggers, mites, bird bugs, and kissing bugs.**

Fighting bugs is what our company is all about, and we are proud to know we help save your blood too. Local blood banks are always looking for more supplies of blood—don't "donate" it to the local bug population!

Common Indoor Fly Problems

We are often asked about indoor flies and where they are breeding. The answer depends on the kind of fly, because different types of flies come indoors, and each have very different breeding places. Here are some of the more common indoor flies we see in homes and businesses.



The *common house fly* is the most universal. It breeds in nearly anything moist and decaying, from food products to garbage to pet and other animal droppings. *Flesh flies* are larger and slower than these, and breed in dead snails and animal carcasses. *Cluster fly* maggots develop in earthworms. *Drain flies* breed in the moist gunk on the inside of drains. *Fungus gnats* often breed in damp house plant soil. *Fruit flies* lay their eggs in any break in the skin of very ripe fruit, but also on

wet, gungy mops, garbage cans, and similar places.


The disease-carrying capacity of flies is legendary. One study found that a single fly was carrying approximately *one million bacteria!* These germs can easily be transferred to food when flies land or walk across food-

preparing countertops or directly on the food itself.

Persistent household fly problems are best solved with a multi-pronged attack. It is important to exclude flies with screens, remove places where they are breeding, and remove odors that are attracting them. It is also important to identify the flies so we know where they might be breeding and how to stop them. Our professionally applied treatments are part of an overall fly control strategy.


Pest Prevention Tip of the Month

Check your window screens and repair or replace them as needed. For screens pulled out from the edges, replace the old spline along the edges. If doors tend to be left open, install screen doors that shut automatically.



No more free lunch!
I've scheduled your termination!

Pests Love Pet Stores



Pet food is very attractive to pets. Scientists surveyed eight retail pet stores in Kansas for insect pests during a seven month period, and collected an amazing **30 species and over 41,000 insects**. The insects were most often concentrated near bulk

food bins, in stockrooms, or on the shelves that held wild bird seed and food for small animals.

When anyone brings pet food home, it should be considered a potential source of pests. These pests then spread and contaminate human and other pet food packages that are open or are easy to chew into the package.

Always inspect pet food before you bring it home. Besides looking for actual beetles, moths, and small caterpillars, check for signs of pests, such as holes in bags or boxes where insects may be emerging, tears or gaps where moths and beetles could get into the packages, and webbing produced by stored food caterpillars.

Birds Sing Differently in Cities

When songbirds move to cities, they change their tune, research shows.

At least that is true for the *great tit*, a small bird with a yellow breast and belly. Research on the great tit in 10 European cities, including London and Paris, showed that in every case, their singing was different than the great tit singing in nearby forests.

The city bird songs were faster, shorter, and at a higher pitch. The researchers believe city birds change their singing to drown out the background noise created by cars and other city noises. City noises apparently disrupt the exchange of vital information contained in their normal country songs, such as when the males sing to attract females.



Your Questions Answered



Q What is an 'alien species'?

A An alien species has nothing to do with something from outer space. Sometimes also called 'exotic species', these are living organisms that invade a new geographical area and thrive in it. They can also wreak havoc with the native species in the area. Most of our

common household pests are alien.

An alien species is not always something ugly and vile—if you ask any Australian ecologist, they would tell you that one of their biggest problems have been cute, fluffy rabbits. Rabbits were brought to Australia from England in 1859. But without natural predators, rabbits thrived in Australia. They have become a major threat to the ecosystem by consuming native plants to the point of near extinction.

Invasive alien species are considered one of the main threats to biodiversity on Earth. As transportation around the world has accelerated, more pests have "hitchhiked" with us, spreading around the globe.

The worst alien species, on a global scale, are various kinds of *rats*. Rats have single-handedly caused the extinction of more native birds and other animals than any other alien species. *Red fire ants* and many other insects, plus *brown tree snakes*, *zebra mussels*, *water hyacinths*, and *Nile perch*, are among many other alien species that have been especially damaging to native ecosystems globally.

Scorpions on Two Planes



The *Snakes on a Plane* movie is a horror film, but recently scorpions were found on two planes—in real life!

A scorpion was found crawling on a passenger's clothing in May. The scorpion did not sting anyone, but the flight from Houston was delayed three hours and as a precaution a new aircraft was arranged for the flight.

One month before that, a scorpion stung a passenger on another flight out of Houston. It fell on the man's head from an overhead bin. The passenger was stung when it landed on his plate and he picked the creature up.

A Native American Mosquito Can Transmit Zika Virus



The only mosquitoes in this country that we knew were capable of transmitting the dangerous Zika virus were *Aedes aegypti* (the yellow fever mosquito) and *Aedes albopictus* (the Asian tiger mosquito). These mosquitoes are both more common in warmer, southern areas of the country (although the Asian tiger mosquito is found in some northern states as well), and both invaded from other parts of the world.

So it was a surprise that a study just published in the *Journal of Medical Entomology* proved that one of our primary native mosquitoes can also transmit Zika virus. *Aedes vexans* (known as the Inland Floodwater Mosquito) is actually the most abundant mosquito in most areas of the country. It could potentially transmit the virus in northern areas where the other mosquitoes aren't found.

The research was conducted in laboratory tests, so it remains to be seen how dangerous this mosquito is in actually transmitting the virus in outdoor conditions.